

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 06/07/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/731,844	12/08/2000	Tatsu Inoue	Q62172	1820
7590 06/07/2004			EXAMINER	
	IION, ZINN, MACPE	LAMBRECHT, CHRISTOPHER M		
2100 Pennsylvania Avenue, N.W. Washington, DC 20037		ART UNIT	PAPER NUMBER	
washington, D	C 20037		2611	2.1

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/731,844	INOUE, TATSU
Office Action Summary	Examiner	Art Unit
	Christopher M. Lambrecht	2611
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet with t	he correspondence address
A SHORTENED STATUTORY PERIOD FOR RITHE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, If NO period for reply is specified above, the maximum statutory properties are reply within the set or extended period for reply will, by some Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a reply n. a reply within the statutory minimum of thirty (30 eriod will apply and will expire SIX (6) MONTHS statute, cause the application to become ABAND	be timely filed) days will be considered timely, from the mailing date of this communication. DONED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on _ This action is FINAL . 2b)⊠ Since this application is in condition for all closed in accordance with the practice uncompared to the practice.	This action is non-final. owance except for formal matters	•
Disposition of Claims		
4) Claim(s) 1-4 is/are pending in the applicate 4a) Of the above claim(s) is/are with 5) Claim(s) is/are allowed. 6) Claim(s) 1-4 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction a	ndrawn from consideration.	
9) The specification is objected to by the Example 10) The drawing(s) filed on <u>08 December 2000</u> Applicant may not request that any objection to Replacement drawing sheet(s) including the control of the oath or declaration is objected to by the	is/are: a)⊠ accepted or b)☐ ob the drawing(s) be held in abeyance. prrection is required if the drawing(s) is	See 37 CFR 1.85(a). s objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	ments have been received. ments have been received in Appli priority documents have been rec ureau (PCT Rule 17.2(a)).	ication No ceived in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date 3.	Paper No(s)/M	mary (PTO-413) ail Date nal Patent Application (PTO-152)

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Proehl (Proehl et al., US006577350B1) in view of Takahashi (Takahashi et al., US006344880B1).

With regard to claims 1 and 3, Proehl discloses a program guide displaying apparatus (fig. 1) and corresponding method comprising: a program guide information obtaining device (IRD 2, fig. 1; detail, fig. 2) for obtaining program information (col. 3, Il. 18-44) including information indicative of a program name (title, col. 5, l. 12), a genre name (category, col. 5, Il. 13-14), a start time (col. 5, l. 12), a length of a program or an end time (col. 5, l. 13), a broadcasting channel (col. 5, l. 2-4), and a broadcasting date (inherent where current date, col. 4, Il. 63-66, and program start time, col. 5, l. 12, are known) of respective one of a plurality of programs; a program information displaying device (4, fig. 1) for displaying the program information as for the programs in a first display mode (6-hr. display, fig. 12), or a second display mode (1.5-hr. display, fig. 11) (col. 7, Il. 50-55), which are exchangeable to each other (by user requesting an alternate level of detail, col. 7, Il. 4-5), wherein said program information displaying device displays the program information in such a manner that the programs are distinguishable from each other by icons set for respective statuses (attributes) of the programs (col. 7, Il. 56-63) for a first time range (6-hr, fig. 12) on a time axis (horizontal, fig. 12) and a first channel range

(10-ch., fig. 12) on a channel axis (vertical, fig. 12) in the first display mode (6-hr. display, fig. 12), and that the programs are distinguishable from each other by at least program names of the programs (see fig. 11) for a second time range (1.5-hr., fig. 11), which is narrower than the first time range (1.5-hr., fig. 11). on the time axis (horizontal) and a second channel range (7-ch., fig. 11), which is narrower than the first channel range (7-ch. < 10-ch.), on the channel axis (vertical) in the second display mode (fig. 11); a movement specifying device (remote control 5, fig. 1) for receiving an instruction to move the program table range (operation buttons include north, south, east, and west buttons, col. 4, ll. 56-61, the user can scroll the EPG horizontally or vertically, col. 5, ll. 63-67). Proehl fails to explicitly disclose that the programs are distinguishable from each other by colors set for respective genres in the first display mode; a range displaying device for displaying a program table range to be displayed in the second display mode in such a manner that the program table range is distinguishable on a program table displayed in the first display mode; and a moving device for moving the program table range on the program table displayed in the first display mode, in response to the instruction received by said movement specifying device, wherein said moving device moves the program table range for a distance equivalent to a predetermined number of unit-time periods in a time axis direction and a predetermined number of channels in a channel axis direction.

In an analogous art, Takahashi discloses programs that are distinguishable from each other by colors set for respective genres (col. 12, ll. 23-33), for the purpose of permitting the user to readily identify program genres (col. 12, ll. 34-35); a range displaying device (KA, fig. 4A) for displaying a program table range (e.g., one program table cell) to be displayed in the second display mode (fig. 4C) (col. 6, ll. 18-37 and 50-61) in such a manner that the program table range is distinguishable on a program table displayed in the first display mode (where the first mode is illustrated in fig. 4A, the program table range (i.e., one cell), illustrated by cursor KA, is distinguishable; i.e., the user is visually aware of which portion of the program table in fig. 4A will be displayed in further detail when the display mode is

changed to the second display mode, illustrated in fig. 4C), for the purpose of providing the user access to a more detailed explanation of a selected program (col. 10, ll. 58-64); and a moving device (page changing icon/button AR_P, fig. 15B) for moving the program table range on the program table displayed in the first display mode, in response to the instruction received by said movement specifying device, wherein said moving device moves the program table range for a distance equivalent to a predetermined number of unit-time periods in a time axis direction and a predetermined number of channels in a channel axis (where movement of the table is described in reference to the scrollbars of fig. 15A, col. 13, ll. 8-27, and the page changing icon performs a similar table moving function, moving the icons in the table a page at a time, col. 13, ll. 28-38), for the purpose of providing the user access to more programs than can be simultaneously displayed on the screen (col. 13, ll. 24-27).

Consequently, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Proehl to include the programs are distinguishable from each other by colors set for respective genres; a range displaying device for displaying a program table range to be displayed in the second display mode in such a manner that the program table range is distinguishable on a program table displayed in the first display mode; and a moving device for moving the program table range on the program table displayed in the first display mode, in response to the instruction received by said movement specifying device, wherein said moving device moves the program table range for a distance equivalent to a predetermined number of unit-time periods in a time axis direction and a predetermined number of channels in a channel axis, as taught by Takahashi, for the purpose of permitting the user to readily identify program genres, providing the user access to a more detailed explanation of a selected program, and providing the user access to more programs than can be simultaneously displayed on the screen in a program guide displaying apparatus.

With regard to claims 2 and 4, With regard to claims 1 and 3, Proehl discloses a program guide displaying apparatus (fig. 1) and corresponding method comprising: a program guide information obtaining device (IRD 2, fig. 1; detail, fig. 2) for obtaining program information (col. 3, ll. 18-44) including information indicative of a program name (title, col. 5, 1, 12), a genre name (category, col. 5, 1l. 13-14), a start time (col. 5, l. 12), a length of a program or an end time (col. 5, l. 13), a broadcasting channel (col. 5, 1, 2-4), and a broadcasting date (inherent where current date, col. 4, 11, 63-66, and program start time, col. 5, l. 12, are known) of respective one of a plurality of programs; a displaying device (4, fig. 1) for displaying the program information as for the programs as a program table (fig. 12) with a first time range (6-hr display, fig. 12) on a time axis (horizontal) and a first channel range (10-ch. display, fig. 12) on a channel axis. Proehl fails to explicitly disclose said program table comprises (i) a plurality of program cells which are displayed in such a manner that the programs are distinguishable by colors set for respective genres of the programs, (ii) a selected cell display, which is displayed within the program table and indicates a program cell which is currently selected, and (iii) a popup display, which is displayed at a vicinity of the selected cell display on the program table and indicates information related to the program corresponding to the program cell which is currently selected, wherein the popup display is displayed at a position determined in correspondence with a position of the program cell, which is currently selected, in the program table.

In an analogous art, Takahashi discloses (i) a plurality of program cells that are distinguishable from each other by colors set for respective genres (col. 12, ll. 23-33), for the purpose of permitting the user to readily identify program genres (col. 12, ll. 34-35), (ii) a selected cell display, which is displayed within the program table and indicates a program cell which is currently selected (cursor KA, fig. 4A, col. 6, ll. 24-30), and (iii) a popup display (TY, fig. 4B, col. 6, ll. 32-49), which is displayed at a vicinity of the selected cell display on the program table (within the same row of the display table as the cell that was selected, see fig. 4B & col. 6, ll. 37-40) and indicates information related to the program (e.g., title and

Application/Control Number: 09/731,844

• Art Unit: 2611

summary, col. 6, ll. 37-49) corresponding to the program cell which is currently selected (designated by KA), wherein the popup display is displayed at a position determined in correspondence with a position of the program cell (within the same row of the display table), which is currently selected (designated by KA), in the program table (4A), for the purpose of providing the user access to a more detailed explanation of a selected program (col. 10, ll. 58-64).

Consequently, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Proehl to include a plurality of program cells that are distinguishable from each other by colors set for respective genres, a selected cell display, which is displayed within the program table and indicates a program cell which is currently selected, and a popup display, which is displayed at a vicinity of the selected cell display on the program table and indicates information related to the program corresponding to the program cell which is currently selected, wherein the popup display is displayed at a position determined in correspondence with a position of the program cell, which is currently selected, in the program table, as taught by Takahashi, for the purpose of permitting the user to readily identify program genres and providing the user access to a more detailed explanation of a selected program in a program guide displaying apparatus.

Page 6

Page 7

Application/Control Number: 09/731,844

• Art Unit: 2611

Conclusion

3. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450
on (Date)
Typed or printed name of person signing this certificate:
Signature:
Certificate of Transmission
I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. (703) on (Date)
Typed or printed name of person signing this certificate:
Signature:

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

Application/Control Number: 09/731,844

• Art Unit: 2611

Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Christopher M. Lambrecht whose telephone number is (703) 305-8710. The examiner can

normally be reached on 9:30 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the primary examiner,

Christopher Grant can be reached on (703) 305-4755. The fax phone number for the organization where

this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained

from either Private PAIR or Public PAIR. Status information for unpublished applications is available

through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Christopher M. Lambrecht

Page 8

Examiner

Art Unit 2611

CML

CHRIS GRANT